

TEST REPORT NO.:	SHE16-07433	Date:	2016/10/08
------------------	-------------	-------	------------

Factory Name: **JACK WOLFSKIN**  
 Factory Address: Jack Wolfskin Kreisel 165510 Idstein/Ts., Germany

The following sample was collected by the SGS:

Sampling Date: 2016/09/19  
 Sample Receiving Date: 2016/09/19  
 Sample Received Quantity: Inlet water 8L, Raw water 8L, Discharge water 8L, sludge 500g  
 Sample Description:  
 1. Inlet water  
 2. Raw water  
 3. Discharge water  
 4. Sludge  
 Buyer Name: Jack Wolfskin  
 Importer Name: 5045  
 Country of Origin: CHINA  
 Country of Destination: CHINA  
 Factory Discharge Location: 5045  
 Test Performing Period: 2016/09/19 TO 2016/10/08

**Remarks**

1. This test document cannot be reproduced in any way, except in full content, without prior approval in writing by the laboratory.
2. The results shown in this test report refer only to the sampling and the sample(s) tested unless otherwise stated.

**Disclaimer:**

The reporting limits will be subjected to adjustment if significant matrix interference is observed during the analytical process

Signed for and on behalf of



**Eddy SHEN**  
 Lab Manager

Report No.: SHE16-07433

Factory Name:5045

Factory Address:

Sample ID	16-07433-01	16-07433-03	16-07433-02			16-07433-04
Sampling Location	Inlet water	Raw water	Discharge water (Direct discharge)			Sludge
Sampling Time	08:55	09:20	09:13			09:39
Date Sampled	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Date Received	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Sample Description	water	water	water			Sludge

ITEMS	CAS No.	METHODS	Reporting Limit		UNIT			Sludge		
			Reporting Limit	UNIT	Inlet water	Raw water	Discharge water (Direct discharge)	Reporting Limit	UNIT	Sludge
<b>Phthalates</b>										
Di(2-Ethyl Hexyl) Phthalate (DEHP)	117-81-7	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	13	n.d.	0,3	mg/kg	6,3
Bis(2-methoxyethyl)phthalate (DMEP)	117-82-8	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
Di-N-Octyl Phthalate (DNOP)	117-84-0	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
Di-Iso-Decyl Phthalate (DIDP)	26761-40-0, 68515-49-1	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
Di-Iso-Nonyl Phthalate (DINP)	28553-12-0, 68515-48-0	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
Di-N-Hexyl Phthalate (DNHP)	84-75-3	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
Dibutyl Phthalate (DBP)	84-74-2	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	0,9
Benzyl Butyl Phthalate (BBP)	85-68-7	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
Dinonyl phthalate (DNP)	84-76-4	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
Diethyl Phthalate (DEP)	84-66-2	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
Di-N-Propyl Phthalate (DPRP)	131-16-8	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
Di-Iso-Butyl Phthalate (DIBP)	84-69-5	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	2
Dicyclohexyl Phthalate (DCHP)	84-61-7	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
Di-Iso-Octyl Phthalate (DIOP)	27554-26-3	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
1,2-Benzenedicarboxylic acid, Di-C7-11 Branched and Linear Alkyl Esters (DHNUP)	68515-42-4	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
1,2-Benzenedicarboxylic acid, Di-C6-8 Branched Alkyl Esters, C7-rich (DIHP)	71888-89-6	With reference to USEPA 8270D, ISO 18856, or Solvent extraction followed by GC/MS analysis	10	µg/L	n.d.	n.d.	n.d.	0,3	mg/kg	n.d.
<b>Flame retardants</b>										
Polybrominated biphenyls (PBBs)	59536-65-1	With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,03	mg/kg	n.d.
Pentabromodiphenyl ethers (PentaBDE)	32534-81-9	With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,03	mg/kg	n.d.
Octabromodiphenyl ethers (OctaBDE)	32536-52-0	With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,03	mg/kg	n.d.
Decabromodiphenyl ethers (DecaBDE)	1163-19-5	With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,03	mg/kg	n.d.
Tris(2-chloroethyl) phosphate (TCEP)	115-96-8	With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,25	mg/kg	n.d.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/term-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/term-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute a basis for a transaction from oversteering all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, copying or modification of the content or appearance of this document is prohibited and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: [CS.China@sgs.com](mailto:CS.China@sgs.com)

1<sup>st</sup> Building, No.888 Yishan Road, Xuhui District, Shanghai, China 200233 | (86-21) 61072829 | (86-21) 61152104 | [www.sgs.com.cn](http://www.sgs.com.cn)  
 中国·上海·徐汇区宜山路888号9楼 | 邮编: 200233 | (86-21) 61072829 | (86-21) 61152104 | [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Member of the SGS Group (SGS SA)

Report No.: SHE16-07433

Factory Name:5045

Factory Address:

Sample ID	16-07433-01	16-07433-03	16-07433-02			16-07433-04
Sampling Location	Inlet water	Raw water	Discharge water (Direct discharge)			Sludge
Sampling Time	08:55	09:20	09:13			09:39
Date Sampled	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Date Received	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Sample Description	water	water	water			Sludge

ITEMS	CAS No.	METHODS	Reporting Limit	UNIT	Inlet water			Raw water			Discharge water (Direct discharge)			Reporting Limit*	UNIT	Sludge
Tris(1-aziridinyl)phosphine oxide (TEPA)	545-55-1	With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,25	mg/kg	n.d.						
Tetrabromobisphenol A (TBBPA)	79-94-7	With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,25	mg/kg	n.d.						
Hexabromocyclododecane (HBCDD)	134237-50-6, 134237-51-7, 134237-52-8, 25637-	With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,25	mg/kg	n.d.						
Bis(2,3-dibromopropyl)phosphate (BIS)	5412-25-9	With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,25	mg/kg	n.d.						
Tris(2,3-dibromopropyl) phosphate (TRIS)	126-72-7	With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,25	mg/kg	n.d.						
2,2-Bis(bromomethyl)-1,3-propanediol (BBMP)	3296-90-0	With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,25	mg/kg	n.d.						
Tris(1,3-dichloro-2-propyl) phosphate (TDCPP)	13674-87-8	With reference to USEPA 527, USEPA 8321B, ISO 22032 or Solvent extraction followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,25	mg/kg	n.d.						
<b>Azo dyes</b>																
4-Aminodiphenyl	92-67-1	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
Benzidine	92-87-5	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
4-Chloro-o-Toluidine	95-69-2	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
2-Naphthylamine	91-59-8	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
o-Aminoazotoluene	97-56-3	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
2-Amino-4-Nitrotoluene	99-55-8	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
p-Chloroaniline	106-47-8	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
2,4-Diaminoanisole	615-05-4	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
4,4'-Diaminodiphenylmethane	101-77-9	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
3,3'-Dichlorobenzidine	91-94-1	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
3,3'-Dimethoxybenzidine	119-90-4	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
3,3'-Dimethylbenzidine	119-93-7	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
p-Cresidine	120-71-8	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						
4,4'-Methylene-Bis(2-Chloroaniline)	101-14-4	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.						



This document is issued by the Company subject to its General Conditions of Service printed on request or accessible at <http://www.sgs.com/term-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/term-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute a basis for a transaction from oversteering all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, copying or falsification of the content or appearance of this document is prohibited and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: [cn\\_client@sgs.com](mailto:cn_client@sgs.com)

1<sup>st</sup> Building, No.888 Yuhuan Road, Xuhui District, Shanghai, China 200233 | T: (86-21) 61072829 | F: (86-21) 61152104 | [www.sgs.com.cn](http://www.sgs.com.cn)  
 中國·上海·徐匯區雲山路888號9樓 | 電話: 200233 | F: (86-21) 61072829 | F: (86-21) 61152104 | [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Member of the SGS Group (SGS SA)

ORGANIC & INORGANIC ANALYSIS

Report No.: SHE16-07433

Factory Name:5045

Factory Address:

Sample ID	16-07433-01	16-07433-03	16-07433-02			16-07433-04
Sampling Location	Inlet water	Raw water	Discharge water (Direct discharge)			Sludge
Sampling Time	08:55	09:20	09:13			09:39
Date Sampled	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Date Received	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Sample Description	water	water	water			Sludge

ITEMS	CAS No.	METHODS	Reporting Limit		UNIT			Sludge		
			Reporting Limit	UNIT	Inlet water	Raw water	Discharge water (Direct discharge)	Reporting Limit	UNIT	Sludge
4,4'-Oxydianiline	101-80-4	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
4,4'-Thiodianiline	139-65-1	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
o-Toluidine	95-53-4	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
2,4-Toluylenediamine	95-80-7	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
2,4,5-Trimethylaniline	137-17-7	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
o-Anisidine	90-04-0	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
p-Aminoazobenzene	60-09-3	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
2,4-Xylidine	95-68-1	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
2,6-Xylidine	87-62-7	With reference to EPA 8270D, EN 14362 or Solvent extraction with sodium dithionite reduction followed by GC/MS and HPLC analysis.	0,1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
<b>Carcinogenic dyes and Disperse dyes</b>										
Acid Red 26	3761-53-3	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Basic Blue 26	2580-56-5	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Basic Red 9	569-61-9	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Basic Violet 14	632-99-5	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Basic Green 4 (malachite green)	10309-95-2	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Basic Green 4 (malachite green chloride) <sup>^</sup>	569-64-2	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Basic Green 4 (malachite green oxalate) <sup>^</sup>	2437-29-8	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Direct Blue 6	2602-46-2	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Direct Black 38	1937-37-7	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Direct Red 28	573-58-0	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Brown 1	23355-64-8	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Blue 1	2475-45-8	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Blue 3	2475-46-9	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/terms-and-conditions/electronic-format-documents>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute advice or a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: [CN\\_clientcheck@sgs.com](mailto:CN_clientcheck@sgs.com)

1<sup>st</sup> Building, No.888 Yishan Road, Xuhui District, Shanghai, China 200233 | (86-21) 61072829 | (86-21) 61152104 | [www.sgs.com.cn](http://www.sgs.com.cn)  
 中国·上海·徐汇区宜山路888号9楼 | 邮编: 200233 | (86-21) 61072829 | (86-21) 61152104 | [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Member of the SGS Group (SGS SA)

Report No.: SHE16-07433

Factory Name:5045

Factory Address:

Sample ID	16-07433-01	16-07433-03	16-07433-02			16-07433-04
Sampling Location	Inlet water	Raw water	Discharge water (Direct discharge)			Sludge
Sampling Time	08:55	09:20	09:13			09:39
Date Sampled	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Date Received	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Sample Description	water	water	water			Sludge

ITEMS	CAS No.	METHODS	Reporting Limit		UNIT			Sludge		
			Reporting Limit	UNIT	Inlet water	Raw water	Discharge water (Direct discharge)	Reporting Limit	UNIT	Sludge
Disperse Blue 7	3179-90-6	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Blue 26	3860-63-7	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Blue 35	12222-75-2, 56524-77-7	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Blue 102	12222-97-8	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Blue 106	12223-01-7	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Blue 124	61951-51-7	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Orange 1	2581-69-3	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Orange 3	730-40-5	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Orange 11	82-28-0	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Orange 37/59/76	13301-61-6	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Red 1	2872-52-8	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Red 11	2872-48-2	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Red 17	3179-89-3	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Yellow 1	119-15-3	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Yellow 3	2832-40-8	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Yellow 9	6373-73-5	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Yellow 39	12236-29-2	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Disperse Yellow 49	54824-37-2	Solvent extraction followed by LC/MS analysis.	5000	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
<b>Organotin Compounds</b>										
Mono-, di- and tri-methyltin derivatives	Multiple	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Monomethyltin (MMT)	Multiple	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Dimethyltin (DMT)	Multiple	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Trimethyltin (TMT)	Multiple	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/term-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/term-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute advice or a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: [CN\\_Client@sgs.com](mailto:CN_Client@sgs.com)

1<sup>st</sup> Building, No.888 Yishan Road, Xuhui District, Shanghai, China 200233 | T: (86-21) 61072829 | F: (86-21) 61152104 | [www.sgs.com.cn](http://www.sgs.com.cn)  
 中國·上海·徐匯區宜山路888號9樓 | 電話: 200233 | F: (86-21) 61072829 | F: (86-21) 61152104 | [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SHE16-07433

Factory Name:5045

Factory Address:

Sample ID	16-07433-01	16-07433-03	16-07433-02			16-07433-04
Sampling Location	Inlet water	Raw water	Discharge water (Direct discharge)			Sludge
Sampling Time	08:55	09:20	09:13			09:39
Date Sampled	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Date Received	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Sample Description	water	water	water			Sludge

ITEMS	CAS No.	METHODS	Reporting Limit		UNIT			Sludge		
			Reporting Limit	UNIT	Inlet water	Raw water	Discharge water (Direct discharge)	Reporting Limit	UNIT	Sludge
Mono-, di- and tri-butyltin derivatives	Multiple	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Monobutyltin (MBT)	1118-46-3, 78763-54-9	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Dibutyltin (DBT)	1002-53-5	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Tributyltin (TBT)	56573-85-4	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Mono-, di- and tri-octyltin derivatives	Multiple	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Monooctyltin (MOT)	15231-57-9	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Diocetyl tin (DOT)	94410-05-6, 12531-44-4	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Triocetyl tin (TOT)	Multiple	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Mono-, di- and tri-phenyltin derivatives	Multiple	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Monophenyltin (MPHT)	Multiple	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Diphenyltin (DPHT)	Multiple	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Triphenyltin (TPHT)	892-20-6, 668-34-8	With reference to ISO17353 and derivatisation with sodium diethyl dithiocarbamate followed by GC/MS analysis.	0,01	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
<b>Chlorobenzenes and Chlorotoluenes</b>										
<b>Dichlorobenzenes</b>	Multiple	-	-	-	-	-	-	-	-	-
1,2-Dichlorobenzene	95-50-1	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
1,3-Dichlorobenzene	541-73-1	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
1,4-Dichlorobenzene	106-46-7	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
<b>Trichlorobenzene</b>	Multiple	-	-	-	-	-	-	-	-	-
1,2,3-Trichlorobenzene	87-61-6	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
1,2,4-Trichlorobenzene	120-82-1	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
1,3,5-Trichlorobenzene	108-70-3	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
<b>Tetrachlorobenzene</b>	12408-10-5	-	-	-	-	-	-	-	-	-
1,2,3,4-Tetrachlorobenzene	634-66-2	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/term-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/term-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute a basis for a transaction from oversteering all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, copying or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: [cs.china@sgs.com](mailto:cs.china@sgs.com)

1<sup>st</sup> Building, No.888 Yishan Road, Xuhui District, Shanghai, China 200233    T: (86-21) 61072829    F: (86-21) 61152104    www.sgs.com.cn  
 中國·上海·徐匯區宜山路888號9樓    電話: 200233    F: (86-21) 61072829    F: (86-21) 61152104    # sgs.china@sgs.com

Report No.: SHE16-07433

Factory Name:5045

Factory Address:

Sample ID	16-07433-01	16-07433-03	16-07433-02			16-07433-04
Sampling Location	Inlet water	Raw water	Discharge water (Direct discharge)			Sludge
Sampling Time	08:55	09:20	09:13			09:39
Date Sampled	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Date Received	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Sample Description	water	water	water			Sludge

ITEMS	CAS No.	METHODS	Reporting Limit			UNIT			Sludge		
			Inlet water	Raw water	Discharge water (Direct discharge)	Reporting Limit*	UNIT	Sludge			
1,2,3,5-Tetrachlorobenzene	634-90-2	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
1,2,4,5-Tetrachlorobenzene	95-94-3	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
Pentachlorobenzene	608-93-5	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
Hexachlorobenzene	118-74-1	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
<b>Chlorotoluenes</b>	Multiple	-	-	-	-	-	-	-	-	-	
2-Chlorotoluene	95-49-8	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
3-Chlorotoluene	108-41-8	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
4-Chlorotoluene	106-43-4	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
<b>Dichlorotoluenes</b>	Multiple	-	-	-	-	-	-	-	-	-	
2,3-Dichlorotoluene	32768-54-0	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
2,4-Dichlorotoluene	95-73-8	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
2,5-Dichlorotoluene	19398-61-9	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
2,6-Dichlorotoluene	118-69-4	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
3,4-Dichlorotoluene	95-75-0	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
<b>Trichlorotoluenes</b>	Multiple	-	-	-	-	-	-	-	-	-	
2,3,6-Trichlorotoluene	2077-46-5	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
2,4,5-Trichlorotoluene	6639-30-1	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
Alpha,2,4-Trichlorotoluene	94-99-5	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
Alpha,2,6-Trichlorotoluene	2014-83-7	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
Alpha,3,4-Trichlorotoluene	102-47-6	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
<b>Tetrachlorotoluenes</b>	Multiple	-	-	-	-	-	-	-	-	-	
Alpha,alpha,2,6-Tetrachlorotoluene	81-19-6	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
Alpha,alpha,alpha,2-Tetrachlorotoluene	2136-89-2	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/term-and-conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/term-and-conditions/term-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute a basis for a transaction from oversteering all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, copying or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: [cs.china@sgs.com](mailto:cs.china@sgs.com)

1<sup>st</sup> Building, No.888 Yishan Road, Xuhui District, Shanghai, China 200233    T: (86-21) 61072829    F: (86-21) 61152164    www.sgs.com.cn  
 中國·上海·徐匯區宜山路888號9樓    電話: 200233    F: (86-21) 61072829    F: (86-21) 61152164    # sgs.china@sgs.com



Report No.: SHE16-07433

Factory Name:5045

Factory Address:

Sample ID	16-07433-01	16-07433-03	16-07433-02			16-07433-04
Sampling Location	Inlet water	Raw water	Discharge water (Direct discharge)			Sludge
Sampling Time	08:55	09:20	09:13			09:39
Date Sampled	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Date Received	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Sample Description	water	water	water			Sludge

ITEMS	CAS No.	METHODS	Reporting Limit		UNIT			Sludge		
			Reporting Limit	UNIT	Inlet water	Raw water	Discharge water (Direct discharge)	Reporting Limit	UNIT	Sludge
Alpha,alpha,alpha,4-Tetrachlorotoluene	5216-25-1	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
Pentachlorotoluene	877-11-2	With reference to USEPA 8260B, USEPA 8270D or Solvent extraction followed by GC/MS analysis	0,2	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.
<b>Halogenated solvents &amp; Volatile organic compounds (VOCs)</b>										
1,2-Dichloroethane	107-06-2	With reference to USEPA 8260B, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Methylene chloride	75-09-2	With reference to USEPA 8260B, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Trichloroethene	79-01-6	With reference to USEPA 8260B, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Tetrachloroethene	127-18-4	With reference to USEPA 8260B, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Benzene	71-43-2	With reference to ISO 11423-1, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
Xylene	1330-20-7	With reference to ISO 11423-1, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
o-cresol	95-48-7	With reference to ISO 11423-1, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
p-cresol	106-44-5	With reference to ISO 11423-1, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
m-cresol	108-39-4	With reference to ISO 11423-1, Purge&Trap, Head-space or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	0,1	mg/kg	n.d.
<b>Chlorophenols</b>										
Pentachlorophenols (PCP)	87-86-5	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
<b>Tetrachlorophenols (TeCP)</b>	25167-83-3	-	-	-	-	-	-	-	-	-
2,3,4,5-Tetrachlorophenol	4901-51-3	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
2,3,4,6-Tetrachlorophenol	58-90-2	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
2,3,5,6-tetrachlorophenol	935-95-5	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
<b>Trichlorophenol (TriCP)</b>	25167-82-2	-	-	-	-	-	-	-	-	-
2,3,4-trichlorophenol	15950-66-0	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
2,3,5-trichlorophenol	933-78-8	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
2,4,5-trichlorophenol	95-95-4	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/term-and-conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/term-and-conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute a basis for a transaction from oversteering all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, copying or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: [cs.china@sgs.com](mailto:cs.china@sgs.com)

1<sup>st</sup> Building No.888 Yishan Road, Xuhui District, Shanghai, China 200233 T: (86-21) 61072829 F: (86-21) 61152104 www.sgs.com.cn  
 中國·上海·徐匯區宜山路888號9樓 郵編: 200233 T: (86-21) 61072829 F: (86-21) 61152104 # sgs.china@sgs.com



Report No.: SHE16-07433

Factory Name:5045

Factory Address:

Sample ID	16-07433-01	16-07433-03	16-07433-02			16-07433-04
Sampling Location	Inlet water	Raw water	Discharge water (Direct discharge)			Sludge
Sampling Time	08:55	09:20	09:13			09:39
Date Sampled	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Date Received	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Sample Description	water	water	water			Sludge

ITEMS	CAS No.	METHODS	Reporting Limit	UNIT	Inlet water	Raw water	Discharge water (Direct discharge)	Reporting Limit*	UNIT	Sludge
2,4,6-trichlorophenol	88-06-2	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
3,4,5-trichlorophenol	609-19-8	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
<b>Dichlorophenols (DICP)</b>	25167-81-1	-	-	-	-	-	-	-	-	-
2,3-dichlorophenol	576-24-9	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
2,4-dichlorophenol	120-83-2	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
2,5-dichlorophenol	583-78-8	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
2,6-dichlorophenol	87-65-0	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
3,4-dichlorophenol	95-77-2	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
3,5-dichlorophenol	591-35-5	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
<b>Monochlorophenols (MonoCP)</b>	Various	-	-	-	-	-	-	-	-	-
2-chlorophenol	95-57-8	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
3-chlorophenol	108-43-0	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
4-chlorophenol	106-48-9	With reference to USEPA 8270D or Solvent extraction and derivatisation with KOH, acetic anhydride followed by GC/MS analysis.	0,5	µg/L	n.d.	n.d.	n.d.	0,025	mg/kg	n.d.
<b>Short Chain Chlorinated Paraffins with C10 -C13 (SCCPs)</b>										
Short Chain Chlorinated Paraffins (SCCP), C <sub>10</sub> -C <sub>13</sub>	85535-84-8	With reference to ISO 22032, USEPA 527, USEPA 8321B or Solvent extraction followed by GC/ECD or GC/NCI analysis	5	µg/L	n.d.	n.d.	n.d.	0,03	mg/kg	1,14
<b>Heavy Metals</b>										
Total Lead (Pb)	7439-92-1	With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or ICP/MS	100	µg/L	n.d.	n.d.	n.d.	1	mg/kg	16
Total Cadmium (Cd)	7440-43-9	With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or ICP/MS	100	µg/L	n.d.	n.d.	n.d.	1	mg/kg	n.d.
Total Mercury (Hg)	7439-97-6	With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, USEPA 7473, ISO 18412 or Acid Digestion followed by ICP or ICP/MS	10	µg/L	n.d.	n.d.	n.d.	0,006	mg/kg	0,079
Total Antimony (Sb)	7440-36-0	With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or ICP/MS	100	µg/L	n.d.	208	n.d.	1	mg/kg	461
Total Arsenic (As)	7440-38-2	With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or ICP/MS	50	µg/L	n.d.	n.d.	n.d.	1	mg/kg	6
Total Chromium (Cr)	7440-47-3	With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or ICP/MS	200	µg/L	n.d.	n.d.	n.d.	1	mg/kg	87



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/Forms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/Forms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute a basis for a transaction from oversteering all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, deletion or modification of the content or appearance of this document is prohibited and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: [cn\\_client@sgs.com](mailto:cn_client@sgs.com)

1<sup>st</sup> Building, No.888 Yishan Road, Xuhui District, Shanghai, China 200233 | T: (86-21) 61072829 | F: (86-21) 61152104 | [www.sgs.com.cn](http://www.sgs.com.cn)  
 中國·上海·徐匯區宜山路888號9樓 | 電話: 200233 | F: (86-21) 61072829 | (86-21) 61152104 | [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

ORGANIC & INORGANIC ANALYSIS

Report No.: SHE16-07433

Factory Name:5045

Factory Address:

Sample ID	16-07433-01	16-07433-03	16-07433-02			16-07433-04
Sampling Location	Inlet water	Raw water	Discharge water (Direct discharge)			Sludge
Sampling Time	08:55	09:20	09:13			09:39
Date Sampled	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Date Received	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Sample Description	water	water	water			Sludge

ITEMS	CAS No.	METHODS	Reporting Limit			UNIT			Sludge		
			Reporting Limit	UNIT	Inlet water	Raw water	Discharge water (Direct discharge)	Reporting Limit	UNIT	Sludge	
Total Hexavalent Chromium (Cr-VI)	7440-47-3, 18540-29-9	With reference to USEPA 218.6, ISO 18412 or Solvent extraction and derivatisation followed by UV/vis analysis	50	µg/L	n.d.	n.d.	n.d.	1	mg/kg	n.d.	
Total Nickel (Ni)	7440-02-0	With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or ICP/MS	200	µg/L	n.d.	n.d.	n.d.	1	mg/kg	8	
Total Copper (Cu)	7440-50-8	With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or ICP/MS	2000	µg/L	n.d.	n.d.	n.d.	1	mg/kg	30	
Total Zinc (Zn)	7440-66-6	With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or ICP/MS	500	µg/L	n.d.	n.d.	n.d.	4	mg/kg	127	
Total Cobalt (Co)	7440-48-4	With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or ICP/MS	50	µg/L	n.d.	n.d.	n.d.	1	mg/kg	2	
Total Silver (Ag)	7440-22-4	With reference to USEPA 200.7, USEPA 200.8, USEPA 6010C, USEPA 6020A, ISO 11885 or Acid Digestion followed by ICP or ICP/MS	100	µg/L	n.d.	n.d.	n.d.	1	mg/kg	3,13	
<b>Alkylphenol (AP) and Alkylphenol Ethoxylates (APEOs)</b>											
Nonylphenol	Multiple, including 25154-52-3, 104-40-5,	With reference to DIN EN ISO 18857 or ASTM D7065 followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,2	mg/kg	n.d.	
Octylphenol	Multiple, including 140-66-9, 27193-28-8,	With reference to DIN EN ISO 18857 or ASTM D7065 followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,2	mg/kg	n.d.	
NPEO, n=1-18	Multiple, including 9016-45-9, 26027-38-3	With reference to DIN EN ISO 18857 or ASTM D7065 followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,2	mg/kg	n.d.	
OPEO, n=1-18	Multiple, including 9002-93-1, 9036-19-5,	With reference to DIN EN ISO 18857 or ASTM D7065 followed by GC/MS or LC/MS analysis	5	µg/L	n.d.	n.d.	n.d.	0,2	mg/kg	n.d.	
<b>Perfluorinated / Polyfluorinated Chemicals (PFCs)</b>											
PFOS	1763-23-1	With reference to DIN38407-42 or CEN/TS 15968 and followed by LS/MS or LC/MS/MS analysis	0,01	µg/L	n.d.	n.d.	n.d.	0,001	mg/kg	n.d.	
PFOA	335-67-1	With reference to DIN38407-42 or CEN/TS 15968 and followed by LS/MS or LC/MS/MS analysis	0,01	µg/L	n.d.	n.d.	<b>0,03</b>	0,001	mg/kg	n.d.	
PFBS	375-73-5, 59933-66-3, 29420-49-3, 29420-43-3	With reference to DIN38407-42 or CEN/TS 15968 and followed by LS/MS or LC/MS/MS analysis	0,01	µg/L	n.d.	n.d.	n.d.	0,001	mg/kg	n.d.	
PFHxA	307-24-4	With reference to DIN38407-42 or CEN/TS 15968 and followed by LS/MS or LC/MS/MS analysis	0,01	µg/L	n.d.	n.d.	n.d.	0,001	mg/kg	n.d.	
6:2 FTOH	647-42-7	With reference to DIN38407-42 or CEN/TS 15968 and derivatisation with acetic anhydride followed by GC/MS analysis.	1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	n.d.	
8:2 FTOH	678-39-7	With reference to DIN38407-42 or CEN/TS 15968 and derivatisation with acetic anhydride followed by GC/MS analysis.	1	µg/L	n.d.	n.d.	n.d.	0,01	mg/kg	<b>0,29</b>	
<b>Polycyclic Aromatic Hydrocarbons (PAHs)</b>											
Benzo[a]pyrene	50-32-8	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Anthracene	120-12-7	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/term-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/term-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute a basis for a transaction from oversteering all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, copying or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: [cs.china@sgs.com](mailto:cs.china@sgs.com)

1<sup>st</sup> Building, No.880 Yishan Road, Xuhui District, Shanghai, China 200233 | (86-21) 61072829 | (86-21) 61152164 | [www.sgs.com.cn](http://www.sgs.com.cn)  
 中國·上海·徐匯區宜山路880號9樓 | 電話: 200233 | (86-21) 61072829 | (86-21) 61152164 | [sgs.china@sgs.com](mailto:sgs.china@sgs.com)

Report No.: SHE16-07433

Factory Name:5045

Factory Address:

Sample ID	16-07433-01	16-07433-03	16-07433-02			16-07433-04
Sampling Location	Inlet water	Raw water	Discharge water (Direct discharge)			Sludge
Sampling Time	08:55	09:20	09:13			09:39
Date Sampled	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Date Received	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Sample Description	water	water	water			Sludge

ITEMS	CAS No.	METHODS	Reporting Limit			UNIT			Sludge		
			Reporting Limit	UNIT	Inlet water	Raw water	Discharge water (Direct discharge)	Reporting Limit	UNIT	Sludge	
Pyrene	129-00-0	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Benzo[ghi]perylene	191-24-2	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Benzo[e]pyrene	192-97-2	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Indeno[1,2,3-cd]pyrene	193-39-5	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Benzo[j]fluoranthene	205-82-3	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Benzo[b]fluoranthene	205-99-2	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Fluoranthene	206-44-0	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Benzo[k]fluoranthene	207-08-9	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Acenaphthylene	208-96-8	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Chrysene	218-01-9	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Dibenz[a,h]anthracene	53-70-3	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Benzo[a]anthracene	56-55-3	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Acenaphthene	83-32-9	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Phenanthrene	85-01-8	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Fluorene	86-73-7	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Naphthalene	91-20-3	With reference to DIN 38407-39 or Solvent extraction followed by GC/MS analysis	1	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
<b>Glycols</b>											
Bis(2-methoxyethyl)-ether	111-96-6	With reference to USEPA 8270D or Solvent extraction followed by GC/MS or LC/MS analysis	5000	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
2-Ethoxyethanol	110-80-5	With reference to USEPA 8270D or Solvent extraction followed by GC/MS or LC/MS analysis	5000	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
2-Ethoxyethyl acetate	111-15-9	With reference to USEPA 8270D or Solvent extraction followed by GC/MS or LC/MS analysis	5000	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
Ethylene glycol dimethyl ether	110-71-4	With reference to USEPA 8270D or Solvent extraction followed by GC/MS or LC/MS analysis	5000	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
2-Methoxyethanol	109-86-4	With reference to USEPA 8270D or Solvent extraction followed by GC/MS or LC/MS analysis	5000	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	
2-Methoxyethylacetate	110-49-6	With reference to USEPA 8270D or Solvent extraction followed by GC/MS or LC/MS analysis	5000	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.	



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/term-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/term-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute a basis for a transaction from oversteering all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, copying or modification of the content or appearance of this document is prohibited and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)83071443, or email: [cn\\_clientcheck@sgs.com](mailto:cn_clientcheck@sgs.com)

1<sup>st</sup> Building, No.888 Yihuan Road, Xuhui District, Shanghai, China 200233    T: (86-21) 61072829    F: (86-21) 61152104    www.sgs.com.cn  
 中國·上海·徐匯區宜山路888號9樓    電話: 200233    T: (86-21) 61072829    F: (86-21) 61152104    # sgs.china@sgs.com

ORGANIC & INORGANIC ANALYSIS

Report No.: SHE16-07433

Factory Name:5045

Factory Address:

Sample ID	16-07433-01	16-07433-03	16-07433-02			16-07433-04
Sampling Location	Inlet water	Raw water	Discharge water (Direct discharge)			Sludge
Sampling Time	08:55	09:20	09:13			09:39
Date Sampled	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Date Received	19.09.2016	19.09.2016	19.09.2016			19.09.2016
Sample Description	water	water	water			Sludge

ITEMS	CAS No.	METHODS	Reporting Limit		UNIT		Inlet water		Raw water		Discharge water (Direct discharge)		Reporting Limit*		UNIT		Sludge	
			Reporting Limit	UNIT	Inlet water	Raw water	Discharge water (Direct discharge)	Reporting Limit*	UNIT	Sludge								
2-Methoxypropylacetate	70657-70-4	With reference to USEPA 8270D or Solvent extraction followed by GC/MS or LC/MS analysis	5000	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.								
Triethylene glycol dimethyl ether	112-49-2	With reference to USEPA 8270D or Solvent extraction followed by GC/MS or LC/MS analysis	5000	µg/L	n.d.	n.d.	n.d.	10	mg/kg	n.d.								
<b>General Chemistry</b>																		
Temperature	-	USEPA 170.1 or GB/T 13195	-	°C								20						
BOD (5-day)	-	USEPA 405.1, APHA 5210B, ISO 5815-1 or HJ 505	30	mg/L							n.d.							
COD	-	USEPA 410.4, APHA 5220D, ISO 6060 or GB/T 11914	150	mg/L							n.d.							
TSS	-	USEPA 160.2, APHA 2540D, ISO 11923 or GB/T 11901	50	mg/L							n.d.							
pH Value	-	USEPA 150.1, APHA 4500-H+, ISO 10523 or GB/T 6920	-	-							7.3							
Colour	-	USEPA 110.1, USEPA 110.2, APHA 2120B, ISO 7887 (Method D) or GB/T 11903	150	Pt-Co							n.d.							
Oil and Grease	-	USEPA 1664, ISO 9377-2, HJ 637	10	mg/L							n.d.							
Total phenolics	-	APHA 5530 B, C & D, ISO 14402 or HJ 503	0,5	mg/L							n.d.							
Coliform	-	USEPA 9132, ISO 9308 or GB/T 5750.12	400	Bacteria / 100ml							1300							
Foam	-	N/A	Not visible	Not visible							Not visible							
Total Nitrogen (Total-N)	-	USEPA 351.2, APHA 4500N-C, ISO 5663, ISO 29441, HJ 636 or GB 11891	30	mg/L							n.d.							
Ammonium Nitrogen (Ammonium-N)	-	USEPA 350.1, APHA 4500NH3-N, ISO 7150, ISO 11732, HJ 535 or HJ 536	10	mg/L							n.d.							
Total Phosphorus (Total-P)	-	USEPA 365.4, APHA 4500P-J, ISO 6878, ISO 11885 or GB/T 11893	3	mg/L							n.d.							
Sulfide	-	APHA 4500-S2-D, ISO 10530 or GB/T 16489	0,5	mg/L							n.d.							
Sulfite	-	USEPA 377.1, HJ 84 or ISO 10304-3	2	mg/L							n.d.							

Remarks:  
n.d. = Not Detected  
^The test result is based of the calculation of selected element(s) and to the worst-case scenario  
\*Base on client requirement  
Moisture content of sludge = 79.0%

\*\*\*\*\*



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/term-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/term-and-conditions/term-and-conditions-electronic>, attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute a basis for a transaction from oversteering all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, copying or falsification of the content or appearance of this document is unlawful, and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.  
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: [cs.chinacheck@sgs.com](mailto:cs.chinacheck@sgs.com)  
1<sup>st</sup> Building, No.888 Yishan Road, Xuhui District, Shanghai, China 200233 T (86-21)61072829 F (86-21)61152104 www.sgs.com.cn  
中国·上海·徐汇区宜山路888号9楼 邮编: 200233 T (86-21)61072829 F (86-21)61152104 # sgs.china@sgs.com

## PHOTOGRAPHS

Inlet water



Discharge water (Direct Discharge)



Raw water



Sludge



\*\*\* End Of Report \*\*\*



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.sgs> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.sgs>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute part of a transaction from which all their rights and obligations under the transaction documents. The document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755)8307 1443, or email: [CN.Check@sgs.com](mailto:CN.Check@sgs.com).

1<sup>st</sup> Building, No.889 Yixian Road, Xuhui District, Shanghai, China 200233 | (86-21) 61072829 | (86-21) 61152194 | [www.sgsgroup.com.cn](http://www.sgsgroup.com.cn)  
 中國·上海·徐匯區宜山路889號3樓 | 郵編: 200233 | (86-21) 61072829 | (86-21) 61152194 | [sgs.china@sgs.com](mailto:sgs.china@sgs.com)